

Drg No. QDF10M

REMOVE ALL BURRS AND SHARP EDGES.


THIRD ANGLE PROJECTION.

CROWN WHEEL BOLT PCD
 No. OF BOLTS
 THREAD / THRO' HOLE
 CROWN WHEEL SPIGOT DIA
 BEARING DIA
 BEARING DISTANCE
 SPIGOT LENGTH
 OVERALL LENGTH
 BEARING/CROWN WHEEL
 BORE

		INCH	MM
D1		5.748	146.0
		12	12
		M12x1.25	M12x1.25
D2		4.646	118.0
D3		3.741	95.0
D3/2		1.615	41.0
L1		4.922	125.0
L2		1.575	40.0
L2/A		0.748	19.0
L3		7.245	184.0
L4		1.811	46.0
D4		1.182	30.0

DRIVE SHAFT SPLINE:-
 No. OF TEETH
 PITCH
 TYPE

39



TITLE	DIFF DATA SHEET
SCALE	1:1 U.O.S.
	SHEET 1 OF 1
Drg. No.	QDF10M

Quaife Design & Development.

IF IN DOUBT, ASK.

THIS DRAWING OR DESIGN IS STRICTLY CONFIDENTIAL & THE COPYRIGHT THEREIN IS THE EXCLUSIVE PROPERTY OF RT QUAIFFE ENGINEERING LTD. AND MAY NOT BE USED COPIED OR EXHIBITED WITHOUT THEIR WRITTEN PERMISSION.

FINISH. MACH,	GRIND@G
LIMITS. FRACT. ± 1/64".	
DEC. ± 0.005".	
MATERIAL.	
TREATMENT.	
ISSUE. 01	DATE. 9.2.10
DRAWN BY. J.P.D.	
Used In.	RENAULT CLIO V6 - PK6