


Drg No. QDF7B

REMOVE ALL BURRS AND SHARP EDGES.

THIRD ANGLE PROJECTION.

		INCH	MM
CROWN WHEEL BOLT PCD	D1	4.726	120
No. OF BOLTS		8	8
THREAD / THRO' HOLE		M10x1.25	M10x1.25
CROWN WHEEL SPIGOT DIA	D2	3.860	98.0
BEARING DIA	D3	1.3792	35.0
BEARING DISTANCE	L1	3.500	88.9
SPIGOT LENGTH	L2	0.800	20.3
	L2/A	0.800	20.3
OVERALL LENGTH	L3	5.100	129.5
BEARING/CROWN WHEEL	L4	0.850	21.6
BORE	D4	0.985	25.0
DRIVE SHAFT SPLINE:-			
No. OF TEETH		22	
PITCH		24/48 DP	
TYPE		FILLET ROOT	SIDE FIT
PRESSURE ANGLE		45 DEG	



TITLE F.W.D. DIFF DATA SHEET.

SCALE 1:1 U.O.S. SHEET 1 OF 1

Drg. No. QDF7B

Quaife Design & Development.

IF IN DOUBT, ASK.

THIS DRAWING OR DESIGN IS STRICTLY CONFIDENTIAL & THE COPYRIGHT THEREIN IS THE EXCLUSIVE PROPERTY OF RT SQUARE ENGINEERING LTD. AND MAY NOT BE USED COPIED OR EXHIBITED WITHOUT THEIR WRITTEN PERMISSION.

FINISH. MACH.	GRIND@G
LIMITS. FRACT. ± 1/64"	
DEC. ± 0.005"	
MATERIAL.	
TREATMENT.	
ISSUE. 01	DATE. 20.5.05
DRAWN BY. M.L.M.	
Used In.	Vauxhall Corsa / Nova (F10 / F13 / F15 / F17)